

Conception Orientée Objet, Forges

Université Toulouse Paul Sabatier - KEAR9RA1

2022-01-25

Guilhem Saurel

Available at

[https://homepages.laas.fr/gsaurel/talks/
conception-orientee-objet-forges.pdf](https://homepages.laas.fr/gsaurel/talks/conception-orientee-objet-forges.pdf)

Under License



<https://creativecommons.org/licenses/by-sa/4.0/>

This presentation (continued)

Source

[https://gitlab.laas.fr/gsauvel/talks :
conception-orientee-objet-forges.md](https://gitlab.laas.fr/gsauvel/talks : conception-orientee-objet-forges.md)

Discussions

<https://matrix.to/#/#conception-orientee-objet:laas.fr>

Introduction

What are software forges


- Software management
 - git repository (web, HTTPS, SSH)
 - authorizations
 - issue tracker

- 1 domain
- 2 username *OR* group (organization)
- 3 project
 - [https://gitlab.laas.fr / gsauvel / talks](https://gitlab.laas.fr/gsauvel/talks)
 - [https://github.com / nim65s / talks](https://github.com/nim65s/talks)

- bug fix / feature request
- Github / Gitlab: #4
- referencable from git:
 - `git commit -m "add test for user input, ref #4"`
 - `git commit -m "sanitize user input, fix #4"`

Branches

Goal



Usual branches

- default: master or main
- devel, stable
- issue/5
- topic/something

Forks

2 types of fork

- scission (software development)
 - document motivations
 - rename
 - change logo / website etc.
 - ensure compatibility
- collaboration (git forges)
 - try to keep synchronized

- scission (software development)
 - document motivations
 - rename
 - change logo / website etc.
 - ensure compatibility
- **collaboration (git forges)**
 - try to keep synchronized

```
git clone --recursive \
          git@gitlab.laas.fr:gsaurel/talks.git
cd talks
git remote add gepetto \
          git@gitlab.laas.fr:gepetto/talks.git
```

```
git clone --recursive \
          git@gitlab.laas.fr:gsaurel/talks.git
cd talks
git remote add gepetto \
          git@gitlab.laas.fr:gepetto/talks.git
git pull gepetto main
git push origin main
```

Git shortcut

```
git config --global \
url."git@github.com:".insteadOf \
"https://github.com/"
```

```
# ~/.ssh/config
```

```
Host gh
```

```
  HostName github.com
```

```
  User git
```

```
git clone --recursive gh:nim65s/talks
```

Requests

The screenshot shows a GitLab project page for 'example-adder'. The left sidebar contains navigation links: Project information, Repository (0), Issues (0), Merge requests (0), CI/CD, Security & Compliance, Deployments, Monitor, Infrastructure, Packages & Registries, Analytics, Wiki, Snippets, and Settings. The main content area shows a green notification bar at the top stating 'You pushed to **devel** at **Guilhem Saurel / example-adder** 7 minutes ago' with a 'Create merge request' button. Below this is the project summary: 'example-adder' (Project ID: 165), 14 Commits, 4 Branches, 10 Tags, 1.5 MB Files, 13 MB Storage, 0 Stars, 0 Forks. A note says 'This is an example project, to show how to use Gepetto's tools'. It is forked from 'Gepetto / example-adder'. The commit history shows a recent commit by 'Guilhem Saurel' titled 'release: Update package.xml version to 4.0.2' with hash '78b0d164'. Below the commit history are buttons for Upload File, README, BSD 2-Clause "Simplified" License, CI/CD configuration, Add CHANGELOG, Add CONTRIBUTING, Add Kubernetes cluster, and Configure Integrations. At the bottom, there is a table with columns Name, Last commit, and Last update.

Figure 2: Merge Request



Github

Search or jump to... Pull requests Issues Marketplace Explore

nim65s / example-adder Public forked from Gepetto/example-adder

Pin Unwatch 2 Fork 4 Star 0

Code Pull requests Actions Projects Wiki Security Insights Settings

devel had recent pushes 2 minutes ago Compare & pull request

master 8 branches 10 tags Go to file Add file Code

This branch is up to date with Gepetto:master. Contribute Fetch upstream

nim65s release: Update package.xml version to 4.0.2 70b0d16 on 8 Dec 2021 14 commits

File	Commit Message	Date
cmake @ 84fiae1	[Cmake] Add Submodule	2 months ago
include/example-adder	[Bindings] Add Python bindings	2 months ago
python	[Bindings] Add Python bindings	2 months ago
src	[bin] Add gepetto-example-adder executable	2 months ago
tests	[Tests] Check main executable	2 months ago
.gitlab-ci.yml	[CI] Add gitlab-ci.yml	2 months ago

About This is an example project, to show how to use Gepetto's tools

Readme BSD-2-Clause License 0 stars 2 watching 4 forks

Releases 10 tags Create a new release

Packages




Figure 3: Pull Request

CI

```
# .gitlab-ci.yml
image: gsaurel/talks

build:
  script:
    - make

test:
  script:
    - make test
```

```
# .github/workflows/build.yml
name: Build
on: [push,pull_request]

jobs:
  build:
    name: markdown → PDF
    runs-on: ubuntu-latest
    container: nim65s/talks
    steps:
      - uses: actions/checkout@v3
      - run: make
```

Workflows

Example

