

for Python & C++

2022-06-01

Guilhem Saurel

Available at

[https://homepages.laas.fr/gsaurel/talks/
tooling.pdf](https://homepages.laas.fr/gsaurel/talks/tooling.pdf)

Under License



<https://creativecommons.org/licenses/by-sa/4.0/>

Source

`https://gitlab.laas.fr/gsaurel/talks :
tooling.md`

Discussions

`https://im.laas.fr/#/room/#python-tooling:laas.fr`

- 1 Motivation
- 2 Style
- 3 Static analysis
- 4 Meta

Motivation

Code is read much more often than it is written

— Guido Van Rossum

Code is read much more often than it is written

— Guido Van Rossum

- read → write
- teamwork
- future self

Style

Style Guide for Python Code

<https://peps.python.org/pep-0008/>

- indentation: 4 spaces
- maximum line length: 79
- whitespaces
- comments
- naming

<https://github.com/PyCQA/pycodestyle>

<https://github.com/PyCQA/pycodestyle>

```
$ pycodestyle --first optparse.py
optparse.py:69:11: E401 multiple imports on one line
optparse.py:347:31: E211 whitespace before '('
optparse.py:357:17: E201 whitespace after '{'
optparse.py:472:29: E221 multiple spaces before operator
```

<https://github.com/PyCQA/flake8>
pycodestyle + pyflakes + mccabe

<https://clang.llvm.org/docs/ClangFormat.html>

```
$ clang-format -i QGVCore/QGVScene.cpp
```

```
@@ -173,14 +173,11 @@
```

```
    // Update items layout
```

```
-    foreach( QGVNode* node, _nodes ) {
```

```
-        node->updateLayout();
```

```
-    }
```

```
+    foreach (QGVNode *node, _nodes) node->updateLayout
```

<https://github.com/google/yapf>

based on clang-format / gofmt, but for python

```
x = { 'a':37, 'b':42,  
      'c':927 }
```

<https://github.com/google/yapf>

based on clang-format / gofmt, but for python

```
x = { 'a':37, 'b':42,
```

```
'c':927}
```

```
x = {'a': 37, 'b': 42, 'c': 927}
```

<https://github.com/psf/black>



Figure 1: black

```
super_long_line.with_small_argument = [0] # some co
```

```
super_long_line.with_small_argument = [0] # some co  
super_long_line.with_small_argument = [  
    0  
] # some comment
```

```
super_long_line.with_small_argument = [0] # some co  
super_long_line.with_small_argument = [  
    0  
] # some comment  
  
# some comment  
super_long_line.with_small_argument = [0]
```

Static analysis

```
def add(a: int, b: int) -> int:  
    """Performs addition on integers.
```

```
>>> add(3, 4)  
7  
"""
```

```
return a + b
```

```
if __name__ == "__main__":  
    import sys
```

```
print(add(sys.argv[1], sys.argv[2]))
```

```
$ python add.py 3 4  
34
```

```
$ python add.py 3 4  
34
```

```
$ mypy add.py  
add.py:13: error: Argument 1 to "add" has incompatible  
                    type "str"; expected "int"  
add.py:13: error: Argument 2 to "add" has incompatible  
                    type "str"; expected "int"  
Found 2 errors in 1 file (checked 1 source file)
```

<https://github.com/asottile/pyupgrade>

```
class C(Base):
    def f(self):
-         super(C, self).f()
+         super().f()
```

<https://github.com/asottile/pyupgrade>

```
class C(Base):  
    def f(self):  
-         super(C, self).f()  
+         super().f()
```

For C++: clang-tidy

Meta

Bring your own ;)

<https://github.com/pre-commit/pre-commit>

```
$ cat .pre-commit-config.yaml
```

```
repos:
```

- repo: <https://github.com/psf/black>
rev: 22.3.0
hooks:
 - id: black
- repo: <https://github.com/pre-commit/mirrors-clang-format>
rev: v14.0.3
hooks:
 - id: clang-format
args: [-i, --style=Google]

```
pre-commit run -a
```

```
pre-commit run -a  
pre-commit install
```

<https://pre-commit.ci/>

That's all folks !

Thanks for your time :)