

Git (addendum)

Université Toulouse Paul Sabatier - KEAT9AA1

Guilhem Saurel

2025-09-09

Remplace plusieurs commits par un seul

```
$ git commit -a -m "add controller.py"  
$ ruff format controller.py  
$ git commit -a -m "fix controller.py format"  
$ git squash HEAD~2 "add controller.py"
```

```
pick 5447539 # a  
pick 954b4fa # b  
pick 301c744 # c  
pick e35a809 # d
```

```
pick 5447539 # a  
squash 954b4fa # b  
squash 301c744 # c  
pick e35a809 # d
```

Modifie le dernier commit

```
$ git commit -a -m "add controller.py"  
$ ruff format controller.py  
$ git commit -a --amend
```

Modifie n'importe quel commit

```
$ git add controller.py
$ git commit -m "add controller.py"
$ git add logo.svg
$ git commit -m "add logo.svg"
$ ruff format controller.py
$ git commit -a --fixup "add controller.py"
$ git rebase -i --autosquash
```

```
035b15c (HEAD -> main) HEAD@{0}: rebase (finish): returning to
refs/heads/main
035b15c (HEAD -> main) HEAD@{1}: rebase (pick): d
80096c4 HEAD@{2}: rebase (squash): final
ec8efcb HEAD@{3}: rebase (squash): # Ceci est la combinaison de 2
commits.
5447539 HEAD@{4}: rebase (start): checkout HEAD~4
e35a809 HEAD@{5}: commit: d
301c744 HEAD@{6}: commit: c
954b4fa HEAD@{7}: commit: b
5447539 HEAD@{8}: commit: a
10188f8 HEAD@{9}: commit (initial): init
```